



PERFORMER SUITE

## SAP BW/4HANA Role – Translation Steward

SCENARIO VERSION 25.1

SETTINGS VARIANT IT STANDARD DOCUMENTATION

RESPONSIBLE PERSON ALEXANDER LUDWIG

CREATION DATE 20.08.2025

### Role Z\_ROLE\_TRANSLATION\_STEWARD, Client 001

#### Table of contents

<b>1</b>	<b>Comment: Z_ROLE_TRANSLATION_STEWARD/001 - Role for using Translation Steward .....</b>	<b>2</b>
1.1	Objective .....	2
<b>2</b>	<b>General Information .....</b>	<b>2</b>
<b>3</b>	<b>Role menu .....</b>	<b>2</b>
<b>4</b>	<b>Authorization data .....</b>	<b>2</b>
4.1	AAAA - Obsolete Authorization Objects .....	2
4.2	AAAB - Cross-application Authorization Objects .....	3
4.3	BC_A - Basis: Administration .....	3
4.4	BC_C - Basis - Development Environment .....	5
4.5	RS - SAP BW/4HANA .....	5

## 1 **Comment: Z\_ROLE\_TRANSLATION\_STEWARD/001 - Role for using Translation Steward**

### 1.1 **Objective**

The authorizations of this role are required to use all functions from the product **Translation Steward**.

## 2 **General Information**

System	A4H
Role	Z_ROLE_TRANSLATION_STEWARD/001, Role for using Translation Steward
Derived from Role	-
Related Single Roles	-
Profile name	
Profile text	
Status	
Last Changed By	ADUERRSTEIN
Last change (timestamp)	3/8/2021 11:52:21 AM
Timestamp of documentation	8/20/2025 9:04:02 AM

## 3 **Role menu**

The role has no menu.

## 4 **Authorization data**


### 4.1 **AAAA - Obsolete Authorization Objects**

 **S\_RS\_HYBR** - Data Warehousing Workbench - HybridProvider [T-AH32001000]

Authorizations field	Values
ACTVT	03 Show
RSHYBROBJ	DEFINITION
RSHYBRPROV	*

 **S\_RS\_ICUBE** - Data Warehousing Workbench - InfoCube [T-AH32001000]

Authorizations field	Values
ACTVT	*
RSICUBE OBJ	*
RSINFOAREA	*
RSINFOCUBE	*

 **S\_RS\_IOBJ** - Data Warehousing Workbench - InfoObject (InfoObject Catalog) [T-AH32001000]

Authorizations field	Values
ACTVT	*
RSIOBJ	*
RSIOBJCAT	*
RSIOBJPART	*

 **S\_RS\_MPRO** - Data Warehousing Workbench - MultiProvider [T-AH32001000]

Authorizations field	Values
ACTVT	03 Show
RSINFOAREA	*
RSMPRO	*
RSMPROOBJ	DATA, DEFINITION, EXPORTDS

#### S\_RS\_ODSO - Data Warehousing Workbench - DataStore Object [T-AH32001000]

Authorizations field	Values
ACTVT	*
RSINFOAREA	*
RSODSOBJ	*
RSODSPART	*

## 4.2 AAAB - Cross-application Authorization Objects

#### S\_RFC - Authorization Check for RFC Access [T-AH32001000]

Authorizations field	Values
ACTVT	16 Execute
RFC_NAME	AUTHORITY_CHECK, BAPI_CUBE_GETDETAIL, BAPI_IOBC_GETDETAIL, BAPI_IOBC_GETLIST, BAPI_IOBJ_ACTIVATE_MULTIPLE, BAPI_IOBJ_GETDETAIL, BAPI_IOBJ_GETLIST, BAPI_IPAK_GETDETAIL, BAPI_IPAK_GETLIST, BAPI_ISET_GETDETAIL, BAPI_ISOURCE_TD_GETDETAIL, BAPI_MPRO_GETDETAIL, BAPI_ODSO_GETDETAIL, BAPI_ODSO_GETLIST, BDL_GET_GREENWICH_TIME, BDL5, BX_AGR_READ_ALL_NODES, DDIF_FIELDINFO_GET, EM_GET_NUMBER_OF_ENTRIES, FUNCTION_EXISTS, FUNCTION_IMPORT_INTERFACE, GET_TABLE_INFO_ORA, ME_GET_CURRENT_USER_ID, MSS_GET_TABLE_SIZE_INFO, RFC_GET_FUNCTION_INTERFACE, RFC_GET_NAMETAB, RFC_GET_SYSTEM_INFO, RFC_READ_TABLE, RFC_SYSTEM_INFO, RFC1, RFCPING, RPY_INCLUDE_UPDATE, RPY_PROGRAM_READ, RS_VARIANT_CONTENTS RFC, RSAB, RSDG_HYBR_GETDETAIL, RSNDI_IOBJ_INFO_GET, RSOBJS_GET_NODES_X, RSPC_API_PROCESS_GET_INFO, RSPC_RUNTIME_ANALYSIS, RSPLS_ALVL_GETDETAIL, RSPLSIP_INFOPROV_GETDETAIL, RSSEM_WEBTEMPLATE_INFO_GET, RSZ_SEM_QUERY_TEXT_GET, RSZ_X_COMPONENT_GET, RSZ_X_INFO_OBJECTS_GET, RSZ_X_QUERY_CHECK, RSZ_X_QUERY_GET, RSZ_X_WHERE_USED_LIST_GET, SDIFRUNTIME, SDTX, SYST, USER_NAME_GET, Z_DP, Z_RFC_ADSO_GETDTL_XML, Z_RFC_AUTH_CHECK, <name you have given to the function group> , <used prefix>_RFC_ADSO_GETDTL_XML, <used prefix>_RFC_AUTH_CHECK, <used prefix>_RFC_CODESCAN, <used prefix>_RFC_GET_DTP_DETAILS, <used prefix>_RFC_GET_STRING, <used prefix>_RFC_READ_REPORT, <used prefix>_RFC_USAGE_ANALYSIS
RFC_TYPE	FUGR, FUNC

## 4.3 BC\_A - Basis: Administration

#### S\_TABU\_DIS - Table Maintenance (using standard tools such as SM30) [T-AH32001000]

Authorizations field	Values
ACTVT	03 Show
DICBERCLS	ADRP, AGR_1016, AGR_1250, AGR_1251, AGR_AGRS, AGR_DEFINE, AGR_HIER, AGR_PROF, AGR_TEXTS, AGR_USERS, CVERS, DD02L, DD02T, DD03L, DD03ND, DD04T, DD07T, DD08B, DD09L, DD10B, DD25L, DD26S, DD27S, DD28S, DDDLSRC, DDDLSRC02BT, DDDLSRCT, DDFIELDANNO, DDLDEPENDENCY, DDPARAMETERANN, DEVACCESS, DOKTL, E070, E070V, E071, ENLFDIR, FUNCT, FUPARAREF, INFO_FUGRT, INFO_FUNCT, PROGDIR, RODELTAMT, ROOSOURCE, RSAABAP, RSANT_PROCESS, RSANT_PROCESSI, RSANT_PROCESST, RSAOOBJ,

 S\_TABU\_NAM - Table Access by Generic Standard Tools [T-AH32001000]



Authorizations field	Values
	RSBSPOKEFIELDS, RSBSPOKESELSET, RSBSPOKET, RSCOMPTLOGOT, RSCURTRT, RSCURTXT, RSDADAP, RSDADAPDOK, RSDADAPLOC, RSDADAPSEL, RSDADAPT, RSDAREA, RSDAREAT, RSDAREAV, RSDATRNAV, RSDATRNAVT, RSDBCHATR, RSDCHA, RSDCHABAS, RSDCUBE, RSDCUBEIOBJ, RSDCUBEMULTI, RSDCUBET, RSDDIME, RSDDIMET, RSDDPA, RSDFDMOD, RSDFDMODT, RSDICHAPRO, RSDICMULTIOBJ, RSDICVALIOBJ, RSDIKYFPRO, RSDIOBC, RSDIOBCIOBJ, RSDIOBCT, RSDIOBJ, RSDIOBJCMP, RSDIOBJT, RSDIPROIOBJT, RSDIPROV_MAPPING, RSDKYF, RSDODSO, RSDODSOATRNAV, RSDODSOINDX, RSDODSOIOBJ, RSDODSOIOBJIND, RSDODSOIOBJPRO, RSDODSOLOC, RSDODSOT, RSDS, RSDSACCESSATTR, RSDSACCESSTYPEST, RSDSEXTOBJ, RSDSSEGF, RSDSSEGFDT, RSDSSEGT, RSDST, RSDSTS, RSDTIM, RSDUNI, RSDVCHA, RSDVTIM, RSDVUNI, RSECBAU, RSECBAUPROP, RSECHIE, RSECHIE_STRING, RSECTXT, RSECUSERAUTH, RSECVAL, RSECVAL_STRING, RSFBP, RSFBPCMP, RSFBPFIELD, RSFBPFIELDT, RSFBPNAVATR, RSFBPSEMANTICS, RSFBPSOURCE, RSFBPSRCTYPEDEFT, RSFBPT, RSFOBUEV001, RSHIEDIR, RSHIEDIRT, RSIS, RSISFIELD, RSISOSMAP, RSIST, RSKSFIELDNEW, RSKSFIELDNEWT, RSKSNEW, RSKSNEWT, RSLDPIO, RSLDPIOT, RSLDPRULE, RSLDPSEL, RSLGYSODP, RSLPO, RSLPOCOMPTXT, RSLPOPARTRANGE, RSLPOT, RSLTIP, RSLTIPT, RSMDATASTATE, RSNSPACE, RSOADSO, RSOADSOT, RSOHCPR, RSOHCPRT, RSOLTPSOURCE, RSOLTPSOURCEFIE, RSOLTPSOURCEFIET, RSOLTPSOURCET, RSOOBJXREF, RSOSEGR, RSOSEGR_MEMBER, RSOSEGRT, RSOSFIELDMAP, RSOTLOGOHISTORY, RSPCHAIN, RSPCHAINATTR, RSPCHAINT, RSPCLOGCHAIN, RSPCTRIGGER, RSPCVARIANT, RSPCVARIANTT, RSPLF_SRV, RSPLF_SRV_COND, RSPLF_SRV_CU, RSPLF_SRV_P, RSPLF_SRV_PS, RSPLF_SRV_T, RSPLF_SRVTYPE, RSPLF_SRVTYPEP, RSPLS_ALVL, RSPLS_ALVL_IOBJ, RSPLS_ALVLT, RSPLS_CR_PROP, RSPLS_CR_RANGE, RSPLS_CR_ROLE, RSPLS_CR_STEPS, RSPLS_DS, RSPLS_DS_FIELD, RSPLS_DS_RANGE, RSPLS_DST, RSPLS_SEQUENCE, RSPLS_SEQUENCE_S, RSPLS_SEQUENCET, RSPROCESSTYPES, RSPROCESSTYPEST, RSPSPACE, RSQFOBJ, RSQFOBJT, RSQISET, RSQISETT, RSQTOBJ, RSRRENDERERV, RSRREPRDIR, RSRWBINDEX, RSRWBINDEXT, RSRWORKBOOK, RSSDBATCH, RSTRAN, RSTRANFIELD, RSTRANFIELDPROP, RSTRANGROUPT, RSTRANROUTMAP, RSTRANRULE, RSTRANRULESTEP, RSTRANRULET, RSTRANSCRIPT, RSTRANSTEPADSO, RSTRANSTEPNCST, RSTRANSTEPIOBJ, RSTRANSTEPMAP, RSTRANSTEPMASTER, RSTRANSTEPPODSO, RSTRANSTEPROUT, RSTRANSTEPUNIT, RSTRANT, RSTS, RSTSODS, RSTRULES, RSUOMTXT, RSUPDDAT, RSUPDINFO, RSUPDKEY, RSUPDROUT, RSZCALC, RSZCOMPDIR, RSZCOMPIC, RSZELTDIR, RSZELTPROP, RSZELTTXT, RSZELTXREF, RSZGLOBV, RSZRANGE, RSZSELECT, RSZWBITMHEAD, RSZWBITMHEADTXT, RSZWBTMPHEAD, RSZWBTMPHEADTXT, RSZWBTMPXREF, RSZWBJTXT, RSZWBJXREF, RSZWTEMPLATE, RSZWTEMPLATEDATA, RSZWVIEW, SEOCCLASS, SEOCCLASSDF, SEOCCLASSTX, SEOCOMPO, SEOCOMPODF, SEOCOMPOTX, SEOFRIENDS, SEOMETAREL, SEOREDEF, SMIMLOIO, SVERS, T002, T002C, T002T, T002TX, T002XT, T006, T006A, TADIR, TBTCO, TBTCP, TCURC, TCURR, TCURT, TCURV, TCURW, TDDAT, TFDIR, TFTIT, TLIBG, TMDIR, TOBCT, TOBJ, TOBJT, TRDIR, TRDIRT, USER_ADDRP, USR01, USR21, V_COMPDIR_COMPIC, V_COMPDIR_ELTDIR, V_ELTDIR_TXT, V_REP_JOIN, VARIT, VSEOCCLASS, WDY_APP_PROP_DEF, WDY_APP_PROP_DFT, WDY_APP_PROPERTY, WDY_APPLICATION, WDY_APPLICATIONT, WDY_CHIP_DEF, WDY_CHIP_DEFT, WDY_CHIP_PARAM, WDY_CHIP_PARAMT, WDY_CHIP_PORT, WDY_CHIP_PORTT, WDY_CHIP_TAG, WDY_COMPO_USAGE, WDY_COMPONENT, WDY_COMPONENTT, WDY_CONFIG_DATA, WDY_CONFIG_DATT, WDY_CONTROLLER, WDY_CONTROLLERT, WDY_CTLR_COMPO, WDY_CTLR_COMPOT, WDY_CTLR_EXC, WDY_CTLR_EXCT, WDY_CTLR_PARAM, WDY_CTLR_PARAMT, WDY_CTLR_USAGE, WDY_CTX_ATTRIB, WDY_CTX_NODE, WDY_INTF_IMPLEM, WDY_IOBOUND_PLGT, WDY_IOBOUND_PLUG, WDY_PLUG_PARAM, WDY_PLUG_PARAMT, WDY_VIEW, <b>Customer-Specific Tables</b>

#### 4.4 BC\_C - Basis - Development Environment

 S\_TRANSPRT - Transport Organizer [T-AH32001000]

Authorizations field	Values
ACTVT	03 Show
TTYE	*

#### 4.5 RS - SAP BW/4HANA

 S\_RS\_DTP - Data Warehouse Modeling - Data Transfer Process [T-AH32001000]

Authorizations field	Values
ACTVT	*
RSONDTPSRC	*
RSONDTPTGT	*
RSSTDTPSRC	*
RSSTDTPGT	*
RSTLDTPSRC	*
RSTLDTPGT	*

 S\_RS\_TR - Data Warehouse Modeling - Transformation [T-AH32001000]

Authorizations field	Values
ACTVT	*
RSOBJNMSRC	*
RSOBJNMTGT	*
RSSTTRSRC	*
RSSTTRTGT	*
RSTLOGOSRC	*
RSTLOGOTGT	*