



PERFORMER SUITE

SAP BW/4HANA Role - Create & Update Function Modules

SCENARIO VERSION 25.1

SETTINGS VARIANT SCE ROLE DOCU

RESPONSIBLE PERSON ALEXANDER LUDWIG

CREATION DATE 20.08.2025

Role Z_ROLE_PS_ADMIN_BW4, Client 001

Table of contents

1	Comment: Z_ROLE_PS_ADMIN_BW4/001 - Role for Creating and Updating Function Modules Role in BW (PS)	2
1.1	Objective	2
2	General Information	2
3	Role menu	2
4	Authorization data	2
4.1	AAAB - Cross-application Authorization Objects	2
4.2	BC_A - Basis: Administration	3
4.3	BC_C - Basis - Development Environment	3

1 Comment: Z_ROLE_PS_ADMIN_BW4/001 - Role for Creating and Updating Function Modules Role in BW (PS)

1.1 Objective

The Performer Suite requires customer-specific Function Modules to use all functions (see [User Manual](#)). The authorizations for this role are required to create or update those Function Modules. Keep in mind, the role must also have the correct Function Modules and Function Group authorizations (depending on your prefix used).

2 General Information

System	A4H
Role	Z_ROLE_PS_ADMIN_BW4/001, Role for Creating and Updating Function Modules Role in BW (PS)
Derived from Role	-
Related Single Roles	-
Profile name	T-AH320009
Profile text	Profile for role Z_ROLE_PS_ADMIN_BW4
Status	Authorization profile is generated
Last Changed By	AKOLMOG
Last change (timestamp)	6/23/2025 2:04:12 PM
Timestamp of documentation	8/20/2025 9:04:30 AM

3 Role menu

The role has no menu.

4 Authorization data

4.1 AAAB - Cross-application Authorization Objects

 S_RFC - Authorization Check for RFC Access [T-AH32000900]

Authorizations field	Values
ACTVT	16 Execute
RFC_NAME	/customer amespace, if used> /*, AUTHOAUTHORITY_CHECK, ENQUEUE_READ, RFC_FUNCTION_DELETE, RFC_GET_FUNCTION_INTERFACE, RFC_GET_NAMETAB, RFC_READ_REPORT, RFC_READ_TABLE, RFC1, RFCPING, RPY_INCLUDE_UPDATE, RS_FUNCTION_POOL_INSERT, RS_FUNCTIONMODULE_INSERT, SDTX, SEUF, SIFF,

Authorizations field	Values
	SIW_RFC_REPOSITORY, SIW_RFC_WRITE_TADIR, SUNI, SUSR, SYST, USER_NAME_GET, Y*, Z*
RFC_TYPE	FUGR, FUNC

○○ S_SIW_CFG - Authorization for projects in SIW [T-AH32000900]

Authorizations field	Values
ACTVT	02 Change
CONFIG_ID	<DUMMY>

4.2 BC_A - Basis: Administration

○○ S_TABU_NAM - Table Access by Generic Standard Tools [T-AH32000900]

Authorizations field	Values
ACTVT	03 Show
TABLE	CVERS, DEVACCESS, E070V, E071, FUPARAREF, INFO_FUNCT, PROGDIR, RSTRANSTEPODSV, SEOCCLASS, TADIR, TFDIR, TLIBG

4.3 BC_C - Basis - Development Environment

○○ S_ABPLNGVS - ABAP Language Version [T-AH32000900]

Authorizations field	Values
ABP_LNG_VS	' '
ACTVT	01 Add or Create, 02 Change

○○ S_DEVELOP - ABAP Workbench [T-AH32000900]

Authorizations field	Values
ACTVT	01 Add or Create, 02 Change, 03 Show, 07, 16 Execute
DEVCLASS	\$TMP, Y*, Z*, /customer namespace, if used>/*
OBJNAME	Y*, Z*, /customer namespace, if used>/*
OBJTYPE	FUGR, FUNC
P_GROUP	*